



Rimage Producer III Series Systems

Announcing the NEW 6100 and 6100N Single Recorder Systems

I. Overview

The Rimage Producer III series of digital publishing systems are the industry's highest-performing, most reliable solutions for automatically creating professional CDs, DVDs, and BDs with customized digital content and directto-disc print technology.



The Producer III 6100 and

6100N systems are the latest member of this product family, providing a single recorder system, with a small footprint, capable of publishing up to 8 full DVD-R (4.35 GB) and 30 full CD-R (696 MB) per hour. The Producer III 6100 and 6100N will be available on October 1, 2008.

The 6100N is a networked disc publishing solution that is easy to use as a networked printer or copier. Simply connect the Ethernet cable into the back of the embedded computer and the 6100N is connected to the network. Users have full access to all Rimage Producer Software Suite features. The embedded control center also delivers improved throughput, as much as a 15% improvement in DVD performance over a non-embedded system.

The 6100 and 6100N, as with all Producer III systems, are available with all Rimage printers, including:

- <u>Everest 600 Thermal Retransfer Printer</u>. Rimage's newest printer and the industry's only 600 dpi printer. Customers who value high resolution images, consistent print quality, and sharper, easier to read text will demand the Everest 600.
- <u>Everest III Thermal Retransfer Printer</u>. Rimage's original retransfer printer delivers the high quality discs customers expect from a Rimage printer.

ON-DEMAND DIGITAL PUBLISHING

CONTENTS

- I. Overview
- II. Standard Features

III. 6100 Specifications

IV. Producer III Specifications

V. Product Positioning

VI. Maintenance Agreements

VII. Contact Information



www.rimage.com

Customers with and existing installed base will request an Everest III printer to help ensure a consistent look to all their published discs. <u>PrismPlus!</u> Thermal Printer. The PrismPlus! printer provides the lowest cost per printed disc and the highest throughput available on the market today. Combined with the exclusive Rimage PerfectPrint feature,

customers can print on preprinted discs for a professional look.

The Rimage Producer III systems are the highest performing, most reliable product available in the market today. These digital publishing solutions are an important part of any digital publishing workflow and help customers build strong brand awareness, while supporting their business models.

II. Producer III Standard Features

All Producer III systems (6100, 7100, 8100) have a common set of feature that meet a wide range of customer requirements:

- Front-swappable recorders
- Available with CD/DVD recorders, BD recorders, or combinations of both
- Everest 600, Everest III, and Prism*Plus!* printer support
- Media Input/Output: Rotating four-bin carousel holds up to 300 discs and configurable for input or output.
- Blu-ray disc recording available on 6100N, 7100N, 8100N only

III. Additional 6100 Specifications

Unlike the 7100 and 8100, which include a non-embedded control center, the 6100 is sold without a control center. It is important that when customers use their own external PC or dedicated computer, that the following requirements are met:

Processor: Core 2 Duo, E4300

RAM/Memory: 1 GB, DDR2-533

Fixed Storage: Two 250 GB, 7,200 RPM Enterprise Class Serial ATA hard drives configured in RAID 0:

- Drive one is used to house the operating system
- Drive two is used for the Rimage System Folder

Graphics: 1024 x 768 screen resolution, 32-bit color

Ports: One USB 2.0 port



ON-DEMAND DIGITAL PUBLISHING"

www.rimage.com

IV. Producer III Specifications

In addition to the common features shared by all Producer III systems, each model within the Producer III system has unique features and requirements that meet the needs of very diverse customers. Depending on the throughput requirements, printing requirements, footprint requirements, and different media types use, the Producer III series has a model that fits every customer need.

Features	6100	7100	8100	
# of Recorders	1 recorder	2 recorders	4 recorders	
	(front swappable)	(front swappable)	(front swappable)	
Recorder Configurations	 (1) CD/DVD 	 (2) CD/DVD 	• (4) CD/DVD	
Available	• (1) BD	• (2) BD	• (4) BD	
		• (1) CD/DVD and	• (2) CD/DVD and	
		(1) BD	(2) BD	
Input Bin Capacity	Up to 300 discs	Up to 300 discs	Up to 300 discs	
External Output Bin	Up to 100 discs	-	Up to 20 discs	
Capacity				
Output Bin Capacity	Up to 300 discs	Up to 300 discs	Up to 300 discs	
DiscWatch Status Light [*]	Optional	Optional	Optional	
Specifications				
Physical Specifications				
Height [*]	23.1" (58.7 cm)	24.6" (64.1 cm)	28.1" (72.7 cm)	
Width	16.3" (41.3 cm)	15.5" (41.0 cm)	15.5" (41.9 cm)	
Depth ^{**}	24.8" (62.9 cm)	24.8" (62.9 cm)	24.8" (62.9 cm)	
Weight				
with Everest Printer	105 lbs (62.3 kg)	125 lbs (56.5 kg)	138 lbs (62.3 kg)	
with PrismPlus! Printer	82 lbs (50.6 kg)	100 lbs (45.1 kg)	113 lbs (50.6 kg)	
Power	100 to 240 VAC			
	50/60 Hz			
	3.7 to 4.7 Amps			
		500 watt maximum		
Temperature	E o F			
Storage	5°F to 95°F (-15°C to 35°C)			
Operating	60°F to 86°F (16°C to 60°C)			
Humidity	40% to 80% RH, non-condensing			
Certifications	Emission: FCC Class B			
	Safety: UL, cUL, CE			
Supported Operating	<u>6100, 7100, 8100</u>			
Systems:	Windows 2000 Professional with Service Pack 4, Windows XP			
	Professional with Service Pack 2 or higher, and Windows			
	Server 2003			
	6100N, 7100N, 8100N			
	Supported operating system provided on embedded control			
	center.			

* Add 6" (15.2 cm) when using optional DiskWatch Status Light

Add 3.5" (9 cm) to accommodate power cords and wiring



ON-DEMAND DIGITAL PUBLISHING"

www.rimage.com

V. Product Positioning

Producer III series systems are the premier publishing systems in the Rimage product offering, providing the speed, throughput, and features required by today's customers. In comparison to other Rimage systems, the Producer III meets a unique set of customer requirements that are not met by other Rimage products.

Producer III Series	6100	7100	8100
 Embedded and non-embedded control centers Everest and Prism<i>Plus!</i> printing Stand-alone or network ready Up to 4 CD/DVD or BD recorders available High-volume publishing applications 8100N capable of publishing up to 100 discs per hour MSRP*: \$12,650 to \$44,950 			
Professional Series	5100N	5300N]
 Embedded control centers Everest printing Network ready Up to 2 CD/DVD or BD recorders available Front office applications MSRP*: \$13,500 to \$17,500 			_
Desktop Series		2000i]
 External control center Ink jet printing Stand-alone operation 2 CD/DVD recorders Front office applications MSRP*: \$3,995 			
AutoPrinter and Stand-Alone Printer	Auto Prism <i>Plus!</i>	Auto Everest III	Auto Everest 60
 External control center Everest and Prism<i>Plus!</i> printing Stand-alone operation Print only applications Front office and service bureau applications MSRP*: \$5,995 to \$10,750 			
*Pricing varies within each product series. See Rimage	price pages for mo	uei specific pricing	

ON-DEMAND DIGITAL PUBLISHING

www.rimage.com

RIMAGE*

VI. Rimage Maintenance Agreements

The Producer III systems offer a limited 12 month hardware warranty. In addition to our warranty, Rimage offers a variety of maintenance agreements. Whatever the customer's production needs, from 24/7 operation to periodic disc publishing, Rimage has a maintenance agreement to meet every customer need, including:

- Same Day On-Site Service
 - Technician arrives within 4 hours, 7 days a week, 24 hours a day
 - Software maintenance included
- Next Business Day Service
 - Technician arrives within 24 hours, Monday through Friday
 - Software maintenance included
- Second Business Day Service
 - Technician arrives within 48 hours, Monday through Friday
 - Software maintenance included
- Rapid Exchange
 - Next day delivery of replacement components or complete system
 - Software maintenance included
- Software Maintenance
 - The latest software updates, training, and technical phone support
- Technical Phone Support
 - Business hours phone support
 - Software maintenance is not included

Some on-site agreements are restricted to specific geographic areas.

VII. Contact Information

For additional information on the Rimage Everest 600 printer or the Rimage Producer and Professional series systems, please contact:

- Rimage Regional Business Manager
- Rimage Inside Sales: 1-866-587-5903
- E-mail: <u>sales@rimage.com</u>
- Web: www.rimage.com



ON-DEMAND DIGITAL PUBLISHING

www.rimage.com