

Kodak i3000 Series Scanners

Give productivity a major lift



A new standard in efficiency and consistency

The **Kodak** i3000 Series Scanners are purpose-built to deliver consistent throughput and minimize downtime for your office. These A3 rotary scanners can take on virtually any challenge while taking up less space on your desk – making them the perfect fit for any business that doesn't have a second to waste.



Missions accomplished

Work interruption-free with a design and features that anticipate workflow issues and power past them.

Alaris Perfect Page technology optimizes image quality and intelligently manages a host of image processing tasks. It all happens automatically, with every scan. Sharper images make additional processing functions such as optical character recognition (OCR), more accurate.

Built for ease, productivity, and longevity

Reliability is performance for the long runand the freedom to focus on what mattersmost in business.

Prevent document damage, safeguard data, and spend less time on rescanning with Intelligent Document Protection (IDP) – it listens for problems and alerts you before they become jams or misfeeds.

Handle a wide range of exception documents with ease with an integrated book-edge A4 flatbed (on Kodak i3250 and i3450 Scanners) – ideal for book pages, passports, folders, and fragile documents.

Intelligent, integrated, and ready when you are

Save time and effort, and get exceptional value, with scanners that think and work like you do. For example, intelligent barcode reading delivers data to applications.

Easily integrate your scanner with all TWAIN, ISIS, and Linux based scanning applications so managing data is as easy as scanning documents. Works in Windows, and Linux environments.

Straightforward User Experience

Alaris delivers intuitive interfaces, onetouch scanning, and other easy-to-use features, for a simplified user experience.

Alaris Smart Touch technology uses onetouch scanning process with the touch of a button. Preprogram up to 20 jobs to automatically scan hard copies and save them as searchable PDFs, enabling you to easily search for information in the future.



- 1 Get reliable throughput in color or black and white, at 200 or 300 dpi, on images, text, and mixed-size documents.
- Stack up the work with a 250-sheet feeder/ elevator you can neatly and efficiently scan document batches with ease. Our design ensures continuous throughput with rapidfire scanning.
- Thick materials such as cardboard and file folders, and extra-long documents, fly through the scanner thanks to the straight through paper path.

- 4 Save space with engineering that delivers robust paper transport and heavy-duty features in a compact, desktop-friendly design.
- Integrated book-edge A4 flatbed scanner built right in for exception documents (*3250 and 3450 models only)
- 6 Intelligent Document Protection listens for problems and alerts you before they become jams or misfeeds.

Adaptable solutions for your ever-changing workplace software

Alaris Capture Pro Software provides Intelligent features such as exception checking, advanced indexing, and expert extraction to get information into your business processes faster.

- Intelligent Quality Control automatically flags questionable images and optimizes image quality without rescanning
- Intelligent Exception Processing ensures immediate validation of forms so any missed information at the point of transaction is identified and fixed

Services

Get the best possible performance from your scanners and software with a full range of world-class Services from Alaris.

Alaris IN2 Ecosystem

Today's complex data environment needs an integrated approach to information capture. The IN2 Ecosystem delivers the best information capture solution for your business with industry-leading scanners, software, and services delivered by a network of trusted partners.

IN2 Ecosystem gives you the:

- Right Fit: Solutions to fit your business goals, environment, and budget
- Right Experience: Solutions that simplify your work — from acquisition through operation and ownership
- Right Results: Solutions that deliver superior business value through fast, accurate, reliable information capture

To learn more about the IN2 Ecosystem, go to

www.alarisin2.com

Or visit AlarisWorld.com

i3200 ADF: Up to 50 ppm i3250 ADF: Up to 50 ppm	i3300 ADF: Up to 70 ppm	i3400 ADF: Up to 90 ppm i3450 ADF: Up to 90 ppm	i3500 ADF: Up to 110 ppm
i3200/i3250 ADF: Up to 20,000 pages per day i3250 integrated A4 size flatbed: 100 pages per day	i3300 ADF: Up to 25,000 pages per day	i3400/i3450 ADF: Up to 30,000 pages per day i3450 integrated A4 size flatbed: 100 pages per day	i3500 ADF: Up to 35,000 pages per day
Dual CCD; Grayscale output bit depth is 256 levels (8-bit); color capture bit depth is 48 bits (16 x 3); color output bit depth is 24 bits (8 x 3)			
1200 dpi			
100/150/200/240/250/300/400/500/600 dpi			
Dual LED			
Graphical LCD display with four opera-	tor control buttons		
Hand-feed: 863.6 mm (34 in.) / 50 r	mm (2 in.) (rear exit only)	ners support continuous scanning mod	e)
34-413 g/m² paper			
i3200/i3250/i3300/i3400/i3450: Up to 250 sheets of 80 g/m² paper; i3500: up to 300 sheets of 80 g/m² paper			
Documents can exit into the front output tray, or at the rear of the scanner if the straight-through paper path option is manually selected			
Ultrasonic multi-feed detection; Intelligent Document Protection			
USB 2.0; USB 3.0 compatible			
WINDOWS bundled software: TWAIN, ISIS, WIA Drivers; Alaris Smart Touch and Alaris Capture Pro Software Limited Edition (via web download			
Alaris Capture Pro Software, Alaris II	nfo Input Solution (Windows only)	, Asset Management Software	
One per page: Interleaved 2 of 5, Coo	de 3 of 9, Code 128, Codabar, UPC	-A, UPC-E, EAN-13, EAN-8, PDF417	
electronic color dropout; dual stream s intelligent background color smoothing	scanning; interactive color, brightnes g; intelligent image edge fill; image r	s and contrast adjustment; automatic ori nerge; content-based blank page detection	entation; automatic color detection on; streak filtering; image hole fill;
Single and multi-page TIFF, JPEG, RTF, BMP, PDF, searchable PDF			
Check with your local sales represen	itative		
100-240 V (International); 50-60 H	Z		
Off mode: <0.5 watts; Running: <49	watts; Sleep mode: <2.8 watts		
Energy Star qualified scanners Operating temperature: 15-35°C (59-95°F); Operating humidity: 15% to 80% RH			
Off or Ready mode: <30 dB(A) Operating mode: <60 dB(A); <66dB(A) i3500 only			
Intel Core i7, 3.4 GHz processor or higher, 4 GB RAM or higher, USB 2.0 (Windows and Linux)			
Windows 10 (32-bit and 64-bit), Windows 8.1 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 7 SP1 (32-bit and 64-bit), Windows Vista SP2 (32-bit and 64-bit), Windows XP (customer validated – not supported by Kodak Alaris because Microsoft discontinued support in 2014), Ubuntu 14.04 (LTS)*			
Roller cleaning pads, Staticide Wipes, consumables kit (includes feed module, separation module, separation pad)			
Kodak Legal Size Flatbed Accessory; Kodak A3 Size Flatbed Accessory; document imprinting accessory (rear-side, post-scan imprinting of up to 40 alphanumeric characters, with 11 imprinting positions)			
i3200/i3300/i3400/i3500: Height: 9.4 in. / 23.8 cm; Width: 17 in. / 43.18 cm; Depth (with input tray closed): 14.6 in. / 37.1 cm i3250/i3450: Height: 10.2 in. / 25.7 cm; Width: 17 in. / 43.18 cm; Depth (with input tray closed): 14.6 in. / 37.1 cm			
13230/13430: Fleight: 10:2 III: / 23:/		an (with input tray closed): 1 1.0 iii. / 3/	
	i3200/i3250 ADF: Up to 20,000 pages per day i3250 integrated A4 size flatbed: 100 pages per day Dual CCD; Grayscale output bit depth 1200 dpi 100 / 150 / 200 / 240 / 250 / 300 / Dual LED Graphical LCD display with four opera Auto-feed: 305 mm (12 in.) / 63.5 m Hand-feed: 305 mm (12 in.) / 50 mm Auto-feed: 863.6 mm (34 in.) / 50.5 m Auto-feed: 863.6 mm (34 in.) / 50.5 m Auto-feed: 863.6 mm (34 in.) / 50.5 m Cong document mode: 4.1 meters (16 34-413 g/m² paper i3200/i3250/i3300/i3400/i3450 Documents can exit into the front of Ultrasonic multi-feed detection; Intel USB 2.0; USB 3.0 compatible WINDOWS bundled software: TWA Alaris Capture Pro Software, Alaris I One per page: Interleaved 2 of 5, Co Barcode reading; Alaris Perfect Page selectronic color dropout; dual stream sintelligent background color smoothin sharpness filter; auto brightness, spec Single and multi-page TIFF, JPEG, RT Check with your local sales represer 100-240 V (International); 50-60 H Off mode: <0.5 watts; Running: <49 Energy Star qualified scanners Operating temperature: 15-35°C (59 Off or Ready mode: <30 dB(A) Operating mode: <60 dB(A); <66dB Intel Core i7, 3.4 GHz processor or h Windows 10 (32-bit and 64-bit), Win Windows Vista SP2 (32-b	i3200/i3250 ADF: Up to 20,000 pages per day i3250 integrated A4 size flatbed: 100 pages per day Dual CCD; Grayscale output bit depth is 256 levels (8-bit); color capture be 1200 dpi 100 / 150 / 200 / 240 / 250 / 300 / 400 / 500 / 600 dpi Dual LED Graphical LCD display with four operator control buttons Auto-feed: 305 mm (12 in.) / 63.5 mm (2.5 in.) Auto-feed: 305 mm (12 in.) / 63.5 mm (2.5 in.) Hand-feed: 363.6 mm (34 in.) / 63.5 mm (2.5 in.) Hand-feed: 363.6 mm (34 in.) / 50 mm (2 in.) Auto-feed: 863.6 mm (34 in.) / 50 mm (2 in.) Auto-feed: 863.6 mm (34 in.) / 50 mm (2 in.) Franchised: 305 mm (12 in.) / 50 mm (2 in.) Auto-feed: 363.6 mm (34 in.) / 50 mm (2.5 in.) Hand-feed: 363.6 mm (34 in.) / 50 mm (2.5 in.) Hand-feed: 363.6 mm (34 in.) / 50 mm (2.5 in.) Hand-feed: 363.6 mm (34 in.) / 50 mm (2.5 in.) Hand-feed: 363.6 mm (34 in.) / 50 mm (2.5 in.) Hand-feed: 363.6 mm (34 in.) / 50 mm (2.5 in.) Hand-feed: 363.6 mm (34 in.) / 50 mm (2.5 in.) Hand-feed: 363.6 mm (34 in.) / 50 mm (2.5 in.) Hand-feed: 363.6 mm (34 in.) / 50.5 mm (2.5 in.) Hand-feed: 363.6 mm (34 in.) / 50.5 mm (2.5 in.) Hand-feed: 363.6 mm (34 in.) / 50.5 mm (2.5 in.) Hand-feed: 363.6 mm (34 in.) / 50.5 mm (2.5 in.) Hand-feed: 363.6 mm (34 in.) / 50.5 mm (2.5 in.) Hand-feed: 363.6 mm (2.5 in.) Auto-feed: 363.6 mm (2.5 in.) Hand-feed: 363.6 mm (2.5 in.) Hand-feed: 363.6 mm (2.5 in.) Auto-feed: 363.6 mm (2.5 in.) Hand-feed: 363.6 mm (2.5 in.) Auto-feed: 363.6 mm (2.5 in.) Auto-feed: 363.6 mm (2.5 in.) Hand-feed: 363.6 mm (2.5 in.) Auto-feed: 363.6 mm (2.5 in.)	i3200/i3250 ADF: Up to 20,000 pages per day i3250 integrated A4 size flatbed: 100 pages per day i3250 integrated A4 size flatbed: 100 pages per day i340 pages per day i3450 integrated A4 size flatbed: 100 pages per day i340 pa

Kodak i3300 Scanner

Kodak i3400/i3450 Scanners

Kodak i3500 Scanners

Want to learn more?

AlarisWorld.com/go/i3000series

Contact us:

AlarisWorld.com/go/contactus





Kodak i3200/i3250 Scanners







All trademarks and trade names used are the property of their respective holders.

The Kodak trademark and trade dress are used under license from Eastman Kodak Company.

[†] Throughput speeds may vary depending on your choice of driver, application software, operating system and PC

^{*} Smart Touch functionality is not supported on these Operating Systems

** Available for the i3200/i3250, i3300, i3400/i3450